From: Patterson, Leslie

To: Renninger, Steven; Madelyn.Adams@epa.ohio.gov

Sent: 12/1/2016 6:27:34 PM

Subject: FW: Technical Report: GP-2 Methane Monitoring Summary and Assessment, South Dayton Dump

and Landfill Site ~RPT-038443~

Attachments: 038443-32-APPE-redline 01dec16.docx

Steve & Maddie, apparently the technical committee didn't like the extremely minor changes I asked for, but the language they propose communicates the same thing. I'm fine with it, but let me know if you're not.

Leslie Patterson Remedial Project Manager U. S. Environmental Protection Agency, Region 5 Superfund Remedial Response, SR-6J 77 West Jackson Boulevard Chicago, IL 60604

tel: (312) 886-4904 fax: (312) 692-2491 patterson.leslie@epa.gov

From: Hayward, Julian [mailto:Julian.Hayward@ghd.com]

Sent: Thursday, December 01, 2016 9:50 AM

To: Patterson, Leslie; Chan, Valerie; Renninger, Steven

Cc: 'Madelyn.Adams@epa.ohio.gov'; "Ken Brown'; 'Heath, Bryan'; Jim Campbell; 'Wendell Barner'; Project Email

Filing

Subject: RE: Technical Report: GP-2 Methane Monitoring Summary and Assessment, South Dayton Dump and

Landfill Site ~RPT-038443~

Leslie, see attached with our proposed modification to address your request.

In short the sentences that you referred to are replaced with the following:

"Based on the apparent lack of connection between the Site and GP-2, Respondents will cease routine methane monitoring at GP-2 following USEPA approval of this Revision 1 to Addendum 2."

If you agree we will prepare a clean copy of the addendum for submittal and agency approval.

Thanks

Julian Hayward

GHD

T: +1 519 884 0510 | M: +1 519 503 3627 | E: julian.hayward@ghd.com

From: Patterson, Leslie [mailto:patterson.leslie@epa.gov]

Sent: Tuesday, November 22, 2016 2:28 PM

To: Chan, Valerie; Renninger, Steven

Cc: 'Madelyn.Adams@epa.ohio.gov'; Hayward, Julian; "Ken Brown'; 'Heath, Bryan'; Jim Campbell; 'Wendell Barner'; Project

Email Filing

Subject: RE: Technical Report: GP-2 Methane Monitoring Summary and Assessment, South Dayton Dump and Landfill Site \sim RPT-038443 \sim

Hi Valerie,

EPA has one comment on the report, which is with respect to Appendix E (Revision 1 – Addendum 2 of the VI Mitigation Workplan). Change the inserted language on page 2, the 2nd full paragraph, as follows (changes in bold):

"Methane and other gases detected at GP-2 are **likely** not related to South Dayton Dump and Landfill Site.

Accordingly, Respondents will cease routine methane monitoring at locations which exhibit contamination that is **interpreted as** not associated with the Site (i.e., GP-2) following USEPA approval of this Revision 1 to Addendum 2."

Please submit a clean copy of the report with the modification. Thanks.

Leslie Patterson Remedial Project Manager U. S. Environmental Protection Agency, Region 5 Superfund Remedial Response, SR-6J 77 West Jackson Boulevard Chicago, IL 60604 tel: (312) 886-4904

fax: (312) 692-2491 patterson.leslie@epa.gov

From: Chan, Valerie [mailto:Valerie.Chan@ghd.com]

Sent: Monday, October 24, 2016 7:38 AM

To: Renninger, Steven < renninger.steven@epa.gov >; Patterson, Leslie < patterson.leslie@epa.gov >

Cc: 'Madelyn.Adams@epa.ohio.gov' < Madelyn.Adams@epa.ohio.gov>; Hayward, Julian

<Julian.Hayward@ghd.com>; "Ken Brown' <KBrown@ITW.com>; 'Heath, Bryan' <Bryan.Heath@NCR.COM>; Jim

Campbell < <u>irc@e-emi.com</u>>; 'Wendell Barner' < <u>wendell.barner@gmail.com</u>>; Project Email Filing < <u>Filing-</u>

NA@ghd.com>

Subject: Technical Report: GP-2 Methane Monitoring Summary and Assessment, South Dayton Dump and Landfill

Site ~RPT-038443~

Hello Steve and Leslie.

On behalf of the Respondents, please find attached a Technical Report presenting a summary and assessment of GP-2 methane.

We can discuss any questions or comments during the VI Conference call scheduled for Wednesday, October 26th at 1:30 PM ET / 12:30 PM CT.

Thank you, Valerie

Valerie Chan, P.Eng.

GHD

T: 1 519 884 0510 | F: 1 519 884 0525 | E: <u>valerie.chan@ghd.com</u>
651 Colby Drive Waterloo Ontario N2V 1C2 Canada | <u>www.ghd.com</u>
WATER | <u>ENERGY & RESOURCES</u> | <u>ENVIRONMENT</u> | <u>PROPERTY & BUILDINGS</u> | <u>TRANSPORTATION</u>

Please consider our environment before printing this email

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

This e-mail has been scanned for viruses

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use

it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.